













MSW composition data by % - Regional defaults

Region	Food waste	Paper/card	Wood	Textiles	Other
Asia					
Eastern Asia	26.2	18.8	3.5	3.5	7.4
South-Central Asia	40.3	11.3	7.9	2.5	21.9
South-Eastern Asia	43.5	12.9	9.9	2.7	16.3
Western Asia & Middle East	41.1	18	9.8	2.9	5.4
Africa					
Eastern Africa	53.9	7.7	7	1.7	11.6
Middle Africa	43.4	16.8	6.5	2.5	1.5
Northern Africa	51.1	16.5	2	2.5	1.5
Southern Africa	23	25	15		
Western Africa	40.4	9.8	4.4	1	
Europe					
Eastern Europe	30.1	21.8	7.5	4.7	14.6
Northern Europe	23.8	30.6	10	2	
Southern Europe	36.9	17	10.6		
Western Europe	24.2	27.5	11		
Oceania					
Australia and New Zealand	36	30	24		
Region Oceania	67.5	6	2.5		
America					
North America	33.9	23.2	6.2	3.9	9.8
Central America	43.8	13.7	13.5	2.6	12.3
South America	44.9	17.1	4.7	2.6	13
Caribbean	46.9	17	2.4	5.1	3.5

2006 IPCC Guidelines for National GHG Inventory

Region	MSW Generation rate (t/cap/yr)	Fraction of MSW disposed to SWDS	MSW to SWDS
Asia			
Eastern Asia	0.37	0.55	
South-Central Asia	0.21	0.74	
South-Eastern Asia	0.27	0.59	0.159
Africa	0.29	0.69	
Europe			
Eastern Europe	0.38	0.9	0.342
Northern Europe	0.64	0.47	
Southern Europe	0.52	0.85	
Western Europe	0.56	0.47	
Oceania	0.69	0.85	
America			
North America	0.65	0.58	
Central America	0.21	0.5	
South America	0.26	0.54	0.140
Caribbean	0.49	0.83	

2006 IPCC Guidelines for National GHG Inventory